



ELSEVIER

Carbohydrate Research 256 (1994) C11-C12

CARBOHYDRATE  
RESEARCH

## CONTENTS

Conformations of 2-C : 1-N-carbonyl-2-deoxy-D-glycopyranosylamines Z. Urbanczyk-Lipkowska, K. Suwinska, R. Luboradzki, D. Mostowicz, Z. Kaluza, J. Grodner and M. Chmielewski (Warsaw, Poland) . . . . .	1
Binding geometry, stoichiometry, and thermodynamics of cyclomalto-oligosaccharide (cyclo- dextrin) inclusion complex formation with chlorogenic acid, the major substrate of apple polyphenol oxidase P.L. Irwin, P.E. Pfeffer, L.W. Doner, G.M. Sapers, J.D. Brewster, G. Nagahashi and K.B. Hicks (Philadelphia, PA, USA) . . . . .	13
In vitro reducing abilities towards chromate of various hydroxy-containing compounds, including saccharides and their derivatives S.P. Kaiwar, M.S.S. Raghavan and C.P. Rao (Bombay, India) . . . . .	29
The degradation of L-threose at Maillard reaction conditions E.Y. Li and M.S. Feather (Columbia, MO, USA) . . . . .	41
A chemoenzymatic synthesis of D-myco-inositol 1,4,5-trisphosphate L. Ling and S. Ozaki (Matsuyama, Japan) . . . . .	49
Synthesis of a glycopeptide with phytoalexin elicitor activity I. Syntheses of a triglycosyl L-serine and a triglycosyl L-seryl-L-proline dipeptide T. Takeda, T. Kanemitsu, M. Ishiguro, Y. Ogihara (Nagoya, Japan) and M. Matsubara (Kobe, Japan) . . . . .	59
Selectivity and cooperativity in the binding of calcium ions by pectins C. Garnier, M.A.V. Axelos and J.-F. Thibault (Nantes, France) . . . . .	71
Occurrence of pectic hairy regions in various plant cell wall materials and their degradability by rhamnogalacturonase H.A. Schols and A.G.J. Voragen (Wageningen, Netherlands) . . . . .	83
Isolation and characterization of rhamnogalacturonan oligomers, liberated during degradation of pectic hairy regions by rhamnogalacturonase H.A. Schols, A.G.J. Voragen (Wageningen, Netherlands) and I.J. Colquhoun (Norwich, United Kingdom) . . . . .	97
Identification of a novel sugar, 4-amino-4,6-dideoxy-2-O-methylmannose in the lipopolysaccha- ride of <i>Vibrio cholerae</i> O1 serotype Ogawa T. Ito, T. Higuchi, M. Hirobe, K. Hiramatsu and T. Yokota (Tokyo, Japan) . . . . .	113
Inhibition of amylopectin retrogradation by partial beta-amylolysis P. Würsch and D. Gumy (Lausanne, Switzerland) . . . . .	129
Differing patterns of carbohydrate metabolism in liver and muscle R. Geddes and J.C.K. Soo Ping Chow (Auckland, New Zealand) . . . . .	139
Novel structures of N-linked high-mannose type oligosaccharides containing $\alpha$ -D-galactofurano- syl linkages in <i>Aspergillus niger</i> $\alpha$ -D-glucosidase T. Takayanagi (Odawara, Japan), A. Kimura, S. Chiba (Sapporo, Japan) and K. Ajisaka (Odawara, Japan) . . . . .	149
An examination of the unusual susceptibilities of aminoglycans to enzymatic hydrolysis M. Yalpani and D. Pantaleone (Mount Prospect, IL, USA) . . . . .	159

## Notes

- Reaction of guanosine, 2'-deoxyguanosine and guanosine-5'-monophosphate with glucose  
T. Knerr, S. Ochs and T. Severin (München, Germany) . . . . . 177
- Synthesis of 2-fluoroethyl  $\beta$ -D-galactopyranoside and 2-fluoroethyl 6-O- $\beta$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside from lactose using  $\beta$ -D-galactosidase  
D.E. Stevenson, A.D. Woolhouse, R.H. Furneaux (Lower Hutt, New Zealand), D. Batcheler and C.T. Eason (Christchurch, New Zealand) . . . . . 185

## Regular papers

- The aqueous solution structure of the tetrasaccharide-ribitol repeat-unit from the lipoteichoic acid of *Streptococcus pneumoniae* strain R6 determined using a combination of NMR spectroscopy and computer calculations  
R.A. Klein, R. Hartmann, H. Egge (Bonn, Germany), T. Behr and W. Fischer (Erlangen, Germany) . . . . . 189
- Involvement of the glucose moiety in the molecular recognition of methyl  $\beta$ -lactoside by ricin: synthesis, conformational analysis, and binding studies of different derivatives at the C-3 region  
P. Fernández, J. Jiménez-Barbero, M. Martín-Lomas, D. Solís and T. Díaz-Mauriño (Madrid, Spain) . . . . . 223
- Synthesis of 4-amino 3,4-dideoxy-D-arabino-heptulosonic acid 7-phosphate, the biosynthetic precursor of C<sub>7</sub>N units in ansamycin antibiotics  
A. Kirschning, P. Bergon, J.-J. Wang, S. Breazeale and H.G. Floss (Seattle, WA, USA) . . . . 245
- Recognition of synthetic analogues of the acceptor,  $\beta$ -D-Galp-OR, by the blood-group H gene-specified glycosyltransferase  
T.L. Lowary (Edmonton, Canada), S.J. Swiedler (Alameda, CA, USA) and O. Hindsgaul (Edmonton, Canada) . . . . . 257
- Increased calcium affinity of a fucosylated chondroitin sulfate from sea cucumber  
J. Ruggiero (São José do Rio Preto, Brazil), R.P. Vieira and P.A.S. Mourão (Rio de Janeiro, Brazil) . . . . . 275
- Escherichia coli* K48 capsular polysaccharide: a glycan containing a novel diacetamido sugar  
D.V. Whittaker, L.A.S. Parolis and H. Parolis (Grahamstown, South Africa) . . . . . 289
- The structure of the lipopolysaccharide O antigen from *Yersinia ruckeri* serotype O1  
L.M. Beynon, J.C. Richards and M.B. Perry (Ottawa, Canada) . . . . . 303

## Notes

- An approach to pseudo-glycopeptides from 2-carbamoyl-2-deoxyglycosides  
M. Chmielewski and O. Zegrocka (Warsaw, Poland) . . . . . 319
- Welan gum (S-130) contains repeating units with randomly distributed L-mannosyl and L-rhamnosyl terminal groups, as determined by FAB/MS  
P.-E. Jansson and G. Widmalm (Stockholm, Sweden) . . . . . 327
- Chitin xanthate and some xanthate ester derivatives  
S. Hirano, A. Usutani and M. Zhang (Tottori, Japan) . . . . . 331

## Preliminary communication

- Protonic and thermal activation of sucrose and the oligosaccharide composition of caramel  
J. Defaye and J.M. García Fernández (Grenoble, France) . . . . . C1

- Author index . . . . . C5
- Subject index . . . . . C7

